

EAST SEARCH TLM

12/8/2007

	Type	Ref #	Hits	Search Text	DBs
1	BRS	S11	0	S4 (decide near4 compress\$4)	US-PGPUB; USPAT; USOCR; IBM_TDB
2	BRS	S10	12	(stack adj memory) register\$2 compress\$5.ab.	US-PGPUB; USPAT; USOCR; IBM_TDB
3	BRS	S9	2	S8 compress\$5.ab.	US-PGPUB; USPAT; USOCR; IBM_TDB
4	BRS	S8	30	S4 nest\$4	US-PGPUB; USPAT; USOCR; IBM_TDB
5	BRS	S7	6	S4 nest	US-PGPUB; USPAT; USOCR; IBM_TDB
6	BRS	S6	9	S4 (compression near3 bit\$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
7	BRS	S5	1	S4 (compression adj bit\$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
8	BRS	S4	161	(stack adj memory) register\$2 compress\$5	US-PGPUB; USPAT; USOCR; IBM_TDB
9	BRS	S3	64	yamamoto-yasunori.in.	US-PGPUB; USPAT; USOCR; IBM_TDB
10	BRS	S2	1	"5241679".pn.	US-PGPUB; USPAT; USOCR; IBM_TDB
11	BRS	S1	33	processor\$2 compress\$5 stack register\$2 (compression adj bit\$2)	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
12	BRS	S22	33	processor\$2 compress\$5 stack register\$2 (compression adj bit\$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
13	BRS	S20	64	yamamoto-yasunori.in.	US-PGPUB; USPAT; USOCR; IBM_TDB
14	BRS	S18	9	S12 (compression near3 bit\$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
15	BRS	S16	2	S15 compress\$5.ab.	US-PGPUB; USPAT; USOCR; IBM_TDB
16	BRS	S13	0	S12 (decide near4 compress\$4)	US-PGPUB; USPAT; USOCR; IBM_TDB
17	BRS	S12	161	(stack adj memory) register\$2 compress\$5	US-PGPUB; USPAT; USOCR; IBM_TDB
18	BRS	S15	30	S12 nest\$4	US-PGPUB; USPAT; USOCR; IBM_TDB
19	BRS	S14	12	(stack adj memory) register\$2 compress\$5.ab.	US-PGPUB; USPAT; USOCR; IBM_TDB
20	BRS	S21	1	"5241679".pn.	US-PGPUB; USPAT; USOCR; IBM_TDB
21	BRS	S19	1	S12 (compression adj bit\$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
22	BRS	S17	6	S12 nest	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
23	BRS	S24	58	S23 (stack adj memory)	US-PGPUB; USPAT; USOCR; IBM_TDB
24	BRS	S23	565	712/220.ccls. or 712/202.ccls.	US-PGPUB; USPAT; USOCR; IBM_TDB